Reflecta D



A high impact lightbox display solution, just add your own graphics. Ideal for promotional displays

features & benefits

- 'D' shaped profile lightbox
- Available in A1, A2 and A3 sizes
- Snap frame sides enable easy change of graphics
- Complete with TFL cool fluorescent tube, mains lead and plug
- Quality aluminium frame construction
- Wall fixing, portrait or landscape
- UPVC protective graphics covers
- CE approved

technical information

- Suitable for indoor use only
- Fluorescent tube specification:
 A1 size 20 watt; A2 size 16 watt; A3 size 8 watt
- Fluorescent tube life: 5000hrs approx
- Supplied complete with 1500mm approx power lead and UK or Euro style plug



'D' shaped profile



Screw ports for wall mounting

hardware specifications	graphic specifications	additional info
ML901 (A1) Assembled Dimensions: 847mm (h) x 580mm (w) x 130mm (d) approx Weight: 5.3kgs approx	ML901 (A1) Recommended Graphic Dimensions: 841mm (h) x 594mm (w) approx Visible Graphic Dimensions: 841mm (h) x 571mm (w) approx	Availability: Moulded black end caps with anodised silver snap frame sides Recommended Graphic Substrate: 200 micron thick Duratrans or equivalent Maximum Graphic Thickness: 1mm
ML902 (A2) Assembled Dimensions: 600mm (h) x 410mm (w) x 110mm (d) approx Weight: 3kgs approx ML903 (A3) Assembled Dimensions:	ML902 (A2) Recommended Graphic Dimensions: 594mm (h) x 420mm (w) approx Visible Graphic Dimensions: 594mm (h) x 397mm (w) approx	
420mm (h) x 290mm (w) x 95mm (d) approx Weight: 1.7kgs approx	ML903 (A3) Recommended Graphic Dimensions: 420mm (h) x 297mm (w) approx Visible Graphic Dimensions: 420mm (h) x 274mm (w) approx	

We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE.

Assembly Instructions

Before assembling or changing graphics ensure the unit is disconnected from the power supply.



Open out both snap frame sides.



Remove the clear protective sheet.



Fit the graphic into the lightbox.



Re-fit the protective sheet over the graphic.



Close the snap frame sides to secure the graphic into place.

