

modular **displays**

August 2011 v1.0




Contents		
tension fabric system -	double sided freestanding double sided curved freestanding single sided wall mount	2
	micro single sided wall mount	
	single sided lightbox wall mount	
	single sided lightbox freestanding	
	pods double sided vertical curved freestanding	
	double sided archway curves	
	specials	10-11
metro system -	single or double sided : flat or curved freestanding versions	
metrolite system -	single or double sided : flat or curved freestanding versions	
metro and metrolite -	specials	17-19
display range -	totems	
	counter kits	
accessories -	system specific	
	universal	Z3

TFS

tension fabric system - double sided freestanding



Range of freestanding flat display panels in various standard sizes or bespoke up to 3.0m h x 50m w. Integral system channel allows easy attachment of accessories. Freestanding double sided frame with slimline rectangular feet as standard or optional side mounted feet as shown above.





Insert the fabric by pushing the silicone strip into the channel of the extrusion.


Bag Set consists of: Large bag(s) for aluminium system and small bag(s) for feet. Graphics should be carried separately.

- Wheeled for easy use
- Large bag: 1060 x 400 x 160mm
- Small bag: 400 x 280 x 90mm


Frames available as full length bars or as knock down kits to fit into bags



TFS tension fabric system - double sided curved freestanding



Range of freestanding curved display panels in various standard sizes or bespoke up to 3.0m h x 50m w. Integral system channel allows easy attachment of accessories. Freestanding double sided frame with slimline rectangular feet as standard or optional side mounted feet as shown above.





Insert the fabric by pushing the silicone strip into the channel of the extrusion.

Bag Set consists of: Large bag(s) for aluminium system and small bag(s) for feet. Graphics should be carried separately.


- Wheeled for easy use
- Large bag: 1060 x 400 x 160mm
- Small bag: 400 x 280 x 90mm

Frames available as full length bars or as knock down kits to fit into bags



August 2011 v1.0

TFS tension fabric system - single sided wall mount



Range of flat display panels in various standard sizes or bespoke up to 3.0m H. x 50m W. Wall mounted on brackets UA10173, supplied with each kit.

2.0h x 1.0w	2.0h x 2.0w	2.0h x 3.0w	2.0h x 4.0w
2.5h x 1.0w	2.5h x 2.0w	2.5h x 3.0w	2.5h x 4.0w



Insert the fabric by pushing the silicone strip into the channel of the extrusion. The fabric has a tab attached to allow for easy extraction.




Brackets UA10173 screw fixed to wall. Frame hooks onto brackets. Brackets supplied with kit.




TFS tension fabric system - micro single sided wall mount



Range of slimline flat display panels in various standard sizes or bespoke up to 3.0m H. x 50m W. Wall mounted by screwing directly through the frame into solid wall at regular intervals.





Insert the fabric by pushing the silicone strip into the channel of the extrusion. The fabric has a tab attached to allow for easy extraction.




Frame screwed directly to the wall through the frame. Suitable for locations with good flat solid walls.



tension fabric system - single sided lightbox wall mount



A slimline display lightbox featuring easy to change printed fabric graphics, utilising cutting edge LED lighting technology. Gives an even spread of light with no hotspots. Highly energy efficient with an expected lamp life in excess of 50,000 hours resulting in a hassle free product with low maintenance and running cost.







- Even spread of light with no hotspots.
- Seamless graphics up to 3.5m high x 50m wide.
- Highly energy efficient.
- Expected lamp life in excess of 50,000 hours. Low
- maintenance.


.




August 2011 v1.0

TFS

TFS







- Even spread of light with no hotspots.
- Seamless graphics up to 3.5m high x 50m wide.
- Highly energy efficient.
- Expected lamp life in excess of 50,000 hours. Low
- maintenance.

A slimline display lightbox featuring easy to change printed fabric graphics, utilising cutting edge LED lighting technology. Gives an even spread of light with no hotspots. Highly energy efficient with an expected lamp life in excess of 50,000 hours resulting in a hassle free product with low maintenance and running cost.




tension fabric system - pods

TFS









	P

1.45h x 3.0Ø	1.45h x 3.6Ø	1.45h x 4.8Ø	1.45h x 6.0Ø

1.85h x 3.0Ø 1.85h x 3.6Ø 1.85h x 4.8Ø 1.85h x 6.0Ø



Insert the fabric by pushing the silicone strip into the channel of the extrusion.



Frames are supplied in lengths of upto 2m, and are connected using connection bars UA11964.



Range of freestanding privacy pods in various standard sizes or bespoke. Lightweight and easy to assemble. Ideal for use as breakout area, consultation booth or meeting area. Can be used as permanent or temporary structure. All openings based on a 270° arc.

TFS



Range of freestanding curved display screens in various standard sizes or bespoke upto 3.0m H. x 50m W. Integral system channel allows easy attachment of accessories. Freestanding double sided frame with feature side mounted feet. Curved, but a bit different. Stand out from the crowd!





Insert the fabric by pushing the silicone strip into the channel of the extrusion.

Bag Set consists of: Large bag(s). Graphics should be carried separately.

- Wheeled for easy use
- Large bag: 1060 x 400 x 160mm




August 2011 v1.0

tension fabric system - double sided archway curves









Insert the fabric by pushing the silicone strip into the channel of the extrusion.

Frames are supplied in lengths of upto 2m, and are connected using connection bars UA11964.



TFS

TFS tension fabric system - specials



A louvred effect multi display with individual double sided TFS panels set in a stunning oval section outer frame. Also suitable for backlighting.

Overall frame size 2.15h x 2.15w



An L shaped freestanding TFS with literature holders. (Literature holders are optional extras)

Overall size 2.0h x 1.0w



TFS tension fabric system - specials



A curved top custom tfs. Blow your own trumpet!

Overall 2.4h x 2.0w

11



A freestanding TFS AV unit.Max screen size 32" LED. (L.C.D. Screen and Bracket not included)

2.0h x	0.8w	
2.5h x	0.8w	




August 2011 v1.0

metro system - single or double sided : flat or curved freestanding



The METRO system is the 'original' and the best. Key elements which make it stand out from the crowd are its substantial aluminium profile and its illuminated top caps. Utilising 'cuttingedge' LED technology, a special hidden light source is available as an optional extra, which inserts into the top of the profile beneath the top-cap, providing an attractive and eyecatching illumination. Graphics are fixed using magnetic tape and so are transported separately, keeping them safe. Metro is an aspirational product merging design and practicality, creating a stunning format for portable or static displays. With superb attention to detail in terms of accessories and finish. Unique LED insert provides attractive top-stack illumination. Optional extra.













Supplied as pre-assembled frames

2.1h x 2.5w	2.1h x 2.5w
Bag Set (1/1/1)	Bag Set (1/1/1)

Magnetic tape applied to graphics. Graphics face mounted to frames.





Bag Set consists of:

Frame bag(s), post bag(s) and feet bag(s). Graphics should be carried separately.

- Wheeled for easy use
- Frame bag: 1050 x 730 x 150mm
- Posts bag: 1060 x 400 x 160mm
- Feet bag: 400 x 280 x 90mm



metro system - versions



Range of flat display screens in various standard sizes or bespoke. Includes a slatwall version for situations that require display of physical objects on shelves or hooks. All Metro frames are available with or without spigots.



Supplied as pre-assembled frames.

2.1h x 0.7w	2.1h x 1.1w	2.1h x 1.1w	2.1h x 3.2w
Bag Set (0/1/0)	Bag Set (1/1/1)	Bag Set (1/1/1)	Bag Set (1/2/2)

Magnetic tape applied to graphics. Graphics face mounted to frames.





Bag Set consists of: Frame bag(s), post bag(s) and feet bag(s). Graphics should be carried separately.

- Wheeled for easy use
- Frame bag: 1050 x 730 x 150mm
- Posts bag: 1060 x 400 x 160mm
- Feet bag: 400 x 280 x 90mm



13

ml

metrolite system - single or double sided : flat or curved freestanding



As the name suggests it is lighter in weight than the highly acclaimed Metro, whilst maintaining the high quality.


- metrolite stand kits fit into a single carry case
- Perfect for seamless lightweight graphic panels (fixed using magnetic tape)
- Modular Aluminium System totally re-useable and recyclable.
- Coloured acrylic top stack as standard. Choose from a range of colour options.
- Robust, yet stylish construction.
- Centre beam for extra rigidity
- Wide range of accessories
















Not pre-assembled frames.



Bag Set (1) Bag

Bag Set (1)

Magnetic tape applied to graphics. Graphics face mounted to frames.





Bag Set consists of: Large bag. Graphics should be carried separately.


- Wheeled for easy use
- Large bag: 1060 x 400 x 160mm




August 2011 v1.0

14

m metrolite system - versions



Range of flat display screens in various standard sizes or bespoke.



Not pre-assembled frames.

2.0h x 1.1w	2.0h x 2.08w	2.0h x 3.07w	2.0h x 4.06w
Bag Set (1)	Bag Set (1)	Bag Set (2)	Bag Set (2)

Magnetic tape applied to graphics. Graphics face mounted to frames.





Bag Set consists of: Large bag(s). Graphics should be carried separately.

- Wheeled for easy use
- Large bag: 1060 x 400 x 160mm





ml metrolite system - versions



Metrolite is available with various graphics formats. Illustrated above are a fabric banner and 'foamex' panel version, where the graphics are held in the channel of the aluminium profile. Also available are magnetic tape held versions similar to Metro.





Bag Set consists of: Large bag. Graphics should be carried separately.

- Wheeled for easy use •
- Large bag: 1060 x 400 x 160mm •




m&ml metro and metrolite - specials



An M10 metro with built-in cupboard and M1 attached. (L.C.D. Screen not included)

Overall frame size 2.15h x 3.2w



A freestanding fully loaded metrolite AV unit. (L.C.D. Screen & Bracket not included. Literature holders are optional extras)

2.05h x 0.79w	
2.5h x 0.79w	



m&ml metro and metrolite - specials



An M10 metro with built-in cupboard and poseur table with side panels. (L.C.D. Screen not included)

Overall frame size 2.15h x 3.2w



A freestanding metro M10 AV unit with secure storage. (L.C.D. Screen not included)

2.05h x 0.79w

2.5h x 0.79w



m&ml metro and metrolite - specials



An 'X' layout metro with poseur tables providing impact from every direction.

Overall size 2.15h x 3.1w




A freestanding fully loaded metro with custom triangular poseur table. (Literature holder is an optional extra)

Overall size 2.1h x 1.2w



display display range - totems



Curved totem (includes silver finish MDF base)

Overall 2.0h x 0.7w

Lightbox Option (Additional Cost)



Triangular totem (includes silver finish MDF base)

Overall 2.0h x 0.7w

Lightbox Option (Additional Cost)



extras

counter kits

Range of lightweight counter kits. Integral system channel allows easy attachment of accessories.



Metrolite workstation kit takes a solid infill panel and fits into a single bag.

Metrolite folding portable counter kit can be assembled in 5 minutes and fits into a single bag.

Metro uk05 counter kit has a single shelf and is available open or with lockable doors.

Metro uk06 vision counter kit has a pair of shelves and is available open or with lockable doors.



extras accessories - system specific

tfs specific	1	° P	000			0		and a second
	UA 10189 Rectangular base plate 445 x 76 x 10mm.	UA 12201 Side mounted foot	UA 10173 Wall mounted bracket	UA 12592 TFS Inline connector	UA 12296 Offset side mount foot. Silver. Suits vertical curved frames and archways only	UA 11964 Extension bar connector for micro TFS profiles Satin silver	UA 4398 90° corner connector for use with micro TFS profiles	UA 10775 90° corner connector
metro specific		I	44	0				
	UA 4421 Elliptical base plate 125 x 400mm Silver	UA 4425 Circular base plate 500mm diameter Silver	UA 3831 Elliptical top plate Silver	UA 4343 Elliptical top stack Red/Blue/Green/White	UA 4447 LED kit for elliptical top stack Green/White	UA 4414 Poseur table kit 495 x 900mm Blue/Green/White	UA 5683 Profile to profile thumb screw connector (connects panels)	
metrolite _{specific}	Ø							
	UA 9610 Oval base plate 450 x 125mm. Silver sparkle powder coat	UA 10381/8275 Elliptical top stack Red/Blue/Green/White	ml11 Poseur kit Red/Blue/Green/White					



extras accessories - universal

			- A				K.	Contro Ster
UA 4370 A4 acrylic literature holder available side or rear mounted Red/Green/Blue/White	UA 6177 A4 metal literature holder. Can be side or rear mounted. Silver powder coat	UA 8607 Slatwall hook 160mm	UA 8608 Slatwall hook 250mm	UA 8386 LCD mount	UA 3997 Swan neck lamp 240V 150W	UA 3998 Swan neck lamp 12 volt 50W	UA 4809 Daisy chain connector to take max 4 lights, suits UA3997	UA 4424 Shelf bracket
	10.00	.00.0	0 0		-		(°)	
UA 6917 Base with castor	UA 10446 Side mounted foot	UA 10469 Side mounted foot	UA 4849_120 Support bar 50mm 2 way profile x 120mm long.	UA 3832 Extension bar 185mm Satin silver	UA 10189 Extension bar 80mm Satin silver	UA 5532 Profile connector for ua2667	UA 6449 Profile connector for ua4849	UA 4355 Knock-in foot Black plastic
		0		0				B
UA 4181 Profile to profile wedge connector (connects panels)	UA 6072 Roll nut	UA 4491 25mm steel tape	UA 4878 Allen key 3mm UA 6365/6 Allen key 4/5mm	UA 4507 Ratchet driver	UA 4807-small Foot bag fabric carry case 400 x 280 x 90mm	UA 4807 Posts bag fabric carry case with castors 1060 x 400 x 160mm	UA 6406 Frame bag fabric carry case 1050 x 730 x 150mm	UA 7585 Eye bolt and roll nut set



